



TRANSFORMING SPACES WITH CONFIDENCE
MAHADEV WATERPROOFING



COMPANY
PROFILE
2025

WWW.MAHADEVWATERPROOFING.IN




TABLE OF CONTENT

01. INTRODUCTION	03
02. OUR SERVICES	04
03. BASEMENT WATERPROOFING	05
04. ROOF WATERPROOFING	06
05. EXTERIOR WATERPROOFING	07
06. INTERIOR WATERPROOFING	08
07. FOUNDATION CRACK REPAIR	09
08. BUILDING PAINTING	10
09. OUR ACCOMPLISHMENT	11
10. OUR PARTNER	12





INTRODUCTION

OUR MISSION

IS TO PROVIDE HIGH-QUALITY, RELIABLE, AND INNOVATIVE WATERPROOFING SOLUTIONS TO PROTECT OUR CUSTOMERS' PROPERTIES FROM WATER DAMAGE. WE ARE COMMITTED TO EXCEEDING CUSTOMER EXPECTATIONS BY DELIVERING EXCEPTIONAL SERVICE AND ENSURING PEACE OF MIND THROUGH EFFECTIVE WATERPROOFING.

OUR VISION

IS TO BE THE LEADING PROVIDER OF WATERPROOFING SOLUTIONS, SETTING THE INDUSTRY STANDARD FOR EXCELLENCE AND RELIABILITY. WE AIM TO EXPAND OUR REACH WHILE MAINTAINING A STRONG FOCUS ON CUSTOMER SATISFACTION, CONTINUOUS IMPROVEMENT, AND SUSTAINABLE BUSINESS PRACTICES. OUR GOAL IS TO CREATE SAFER, DRIER, AND MORE SECURE ENVIRONMENTS FOR OUR CLIENTS, CONTRIBUTING TO THE LONGEVITY AND VALUE OF THEIR PROPERTIES.

ABOUT US:

AT MAHADEV WATERPROOFING, WE SPECIALIZE IN PROVIDING TOP-QUALITY WATERPROOFING SOLUTIONS FOR A WIDE RANGE OF RESIDENTIAL AND COMMERCIAL PROPERTIES.

WITH YEARS OF EXPERIENCE AND A TEAM OF SKILLED PROFESSIONALS, WE ARE DEDICATED TO KEEPING YOUR SPACE SAFE AND PROTECTED FROM THE ELEMENTS.

OUR SERVICES



**BASEMENT
WATERPROOFING**



**ROOF
WATERPROOFING**



**EXTERIOR
WATERPROOFING**



**INTERIOR
WATERPROOFING**



**FOUNDATION
CRACK REPAIR**



**BUILDING
PAINTING**

OUR PROCESS:

CONSULTATION:

WE ASSESS YOUR SPECIFIC NEEDS AND PROVIDE A CUSTOMIZED SOLUTION.

PREPARATION:

OUR TEAM PREPARES THE AREA FOR WATERPROOFING, ENSURING A SMOOTH PROCESS.

WATERPROOFING:

WE APPLY INDUSTRY-LEADING TECHNIQUES AND MATERIALS TO PREVENT WATER DAMAGE.

INSPECTION:

WE CONDUCT A THOROUGH INSPECTION TO ENSURE THE EFFECTIVENESS OF OUR WORK.

FOLLOW-UP:

OUR TEAM FOLLOWS UP TO ENSURE YOUR SATISFACTION AND ADDRESS ANY CONCERNS.

BASEMENT WATERPROOFING

BASEMENT WATERPROOFING IS CRUCIAL FOR PROTECTING THE FOUNDATION AND STRUCTURE OF A BUILDING FROM WATER DAMAGE.

HERE ARE THE KEY PROCESSES INVOLVED IN BASEMENT WATERPROOFING:

ASSESSMENT:

A THOROUGH INSPECTION OF THE BASEMENT IS CONDUCTED TO IDENTIFY AREAS OF WATER SEEPAGE, CRACKS, MOISTURE ISSUES, AND VULNERABILITIES THAT NEED TO BE ADDRESSED.

INTERIOR WATERPROOFING:

APPLICATION OF WATERPROOF COATINGS OR SEALANTS ON THE INTERIOR WALLS AND FLOORS TO PREVENT WATER PENETRATION.

INSTALLATION OF DRAINAGE SYSTEMS, SUCH AS INTERIOR FRENCH DRAINS, TO REDIRECT WATER AWAY FROM THE FOUNDATION.

EXTERIOR WATERPROOFING:

EXCAVATION AROUND THE EXTERIOR FOUNDATION WALLS TO APPLY A WATERPROOF MEMBRANE OR COATING TO PREVENT WATER INTRUSION.

INSTALLATION OF EXTERIOR FRENCH DRAINS OR SUMP PUMPS TO MANAGE WATER RUNOFF AND PREVENT POOLING AROUND THE FOUNDATION.

FOUNDATION CRACK REPAIR:

REPAIRING VISIBLE CRACKS IN THE FOUNDATION USING SPECIALIZED MATERIALS TO CREATE A WATERTIGHT SEAL AND PREVENT WATER INFILTRATION.

SUMP PUMP INSTALLATION:

INSTALLATION OF A SUMP PUMP SYSTEM TO EFFECTIVELY REMOVE EXCESS WATER FROM THE BASEMENT AND PREVENT FLOODING OR MOISTURE BUILDUP.

MOLD REMEDIATION:

REMEDICATION OF ANY EXISTING MOLD OR MILDEW IN THE BASEMENT TO CREATE A CLEAN AND HEALTHY LIVING ENVIRONMENT.

FINAL INSPECTION:

CONDUCTING A FINAL INSPECTION TO ENSURE ALL WATERPROOFING MEASURES HAVE BEEN PROPERLY IMPLEMENTED AND THE BASEMENT IS EFFECTIVELY PROTECTED FROM WATER DAMAGE.

BY FOLLOWING THESE PROCESSES, WE AIM TO PROVIDE COMPREHENSIVE BASEMENT WATERPROOFING SOLUTIONS THAT ENSURE A DRY, SAFE, AND SECURE ENVIRONMENT FOR OUR CUSTOMERS, PROTECTING THEIR PROPERTY AND ENHANCING THE LONGEVITY OF THEIR BUILDING STRUCTURE.

ROOF WATERPROOFING

ROOF WATERPROOFING IS ESSENTIAL TO PROTECT THE BUILDING STRUCTURE FROM WATER DAMAGE AND ENSURE A LEAK-FREE AND DURABLE ROOF.

HERE IS AN OVERVIEW OF THE ROOF WATERPROOFING PROCESS:

ASSESSMENT:

THE PROCESS STARTS WITH A DETAILED ASSESSMENT OF THE ROOF TO IDENTIFY ANY EXISTING LEAKS, CRACKS, OR AREAS OF VULNERABILITY THAT CAN LEAD TO WATER INFILTRATION.

CLEANING AND PREPARATION:

THE ROOF SURFACE IS THOROUGHLY CLEANED TO REMOVE ANY DIRT, DEBRIS, OR CONTAMINANTS THAT MAY INTERFERE WITH THE WATERPROOFING MATERIALS. ANY EXISTING WATERPROOFING LAYERS OR DAMAGED SECTIONS ARE REPAIRED OR REMOVED.

SURFACE TREATMENT:

DEPENDING ON THE TYPE OF ROOF SURFACE (FLAT, SLOPED, METAL, CONCRETE, ETC.), A SUITABLE WATERPROOFING MATERIAL IS SELECTED FOR APPLICATION. THIS MAY INCLUDE LIQUID-APPLIED MEMBRANES, BITUMINOUS COATINGS, OR ELASTOMERIC COATINGS.

MEMBRANE INSTALLATION:

WATERPROOFING MEMBRANES ARE INSTALLED OVER THE ROOF SURFACE TO CREATE A SEAMLESS AND WATERPROOF BARRIER. THE MEMBRANES ARE CAREFULLY APPLIED AND SECURED TO ENSURE PROPER ADHESION AND COVERAGE.

SEALING AND FLASHING:

ALL ROOF PENETRATIONS, SEAMS, JOINTS, AND EDGES ARE SEALED AND REINFORCED WITH FLASHING MATERIALS TO PREVENT WATER FROM SEEPING THROUGH VULNERABLE AREAS.

DRAINAGE SYSTEM INSTALLATION:

PROPER DRAINAGE SYSTEMS, SUCH AS GUTTERS, DOWNSPOUTS, AND SCUPPERS, ARE INSTALLED OR REPAIRED TO CHANNEL WATER AWAY FROM THE ROOF SURFACE AND PREVENT PONDING OR STANDING WATER.

UV PROTECTION AND FINISH COAT:

FOR ADDED PROTECTION AGAINST UV RAYS, WEATHERING, AND WEAR, A UV-RESISTANT FINISH COAT OR PROTECTIVE LAYER MAY BE APPLIED OVER THE WATERPROOFING MEMBRANE.

FINAL INSPECTION AND TESTING:

ONCE THE WATERPROOFING PROCESS IS COMPLETED, A FINAL INSPECTION IS CONDUCTED TO CHECK FOR PROPER INSTALLATION, ADHESION, AND COVERAGE. WATER TESTS MAY ALSO BE PERFORMED TO ENSURE THE ROOF IS EFFECTIVELY WATERPROOFED.

EXTERIOR WATERPROOFING

EXTERIOR WATERPROOFING PLAYS A VITAL ROLE IN PROTECTING THE BUILDING FOUNDATION AND STRUCTURE FROM WATER INFILTRATION AND DAMAGE.

HERE ARE THE ESSENTIAL PROCESSES INVOLVED IN EXTERIOR WATERPROOFING:

ASSESSMENT:

A COMPREHENSIVE ASSESSMENT OF THE BUILDING'S EXTERIOR IS CONDUCTED TO IDENTIFY AREAS OF WATER SEEPAGE, FOUNDATION CRACKS, AND VULNERABILITIES THAT NEED TO BE ADDRESSED.

EXCAVATION:

EXCAVATION IS CARRIED OUT AROUND THE PERIMETER OF THE BUILDING TO EXPOSE THE FOUNDATION WALLS AND CREATE SPACE FOR THE APPLICATION OF WATERPROOFING MATERIALS.

CLEANING AND PREPARATION:

THE EXTERIOR FOUNDATION WALLS ARE THOROUGHLY CLEANED TO REMOVE DIRT, DEBRIS, AND CONTAMINANTS THAT COULD INTERFERE WITH THE WATERPROOFING PROCESS. ANY EXISTING WATERPROOFING MATERIALS OR DAMAGED SECTIONS ARE REPAIRED OR REMOVED.

APPLICATION OF WATERPROOFING MEMBRANE:

A WATERPROOFING MEMBRANE, TYPICALLY MADE OF BITUMEN OR A POLYMER-BASED MATERIAL, IS APPLIED TO THE EXTERIOR FOUNDATION WALLS. THIS MEMBRANE SERVES AS A PROTECTIVE BARRIER AGAINST WATER PENETRATION.

PROTECTION BOARD INSTALLATION:

A PROTECTION BOARD OR DRAINAGE BOARD IS INSTALLED OVER THE WATERPROOFING MEMBRANE TO PROVIDE AN ADDITIONAL PROTECTIVE LAYER AND TO CREATE A DRAINAGE PLANE THAT CHANNELS WATER AWAY FROM THE FOUNDATION.

INSTALLATION OF DRAINAGE SYSTEM:

EXTERIOR DRAINAGE SYSTEMS, SUCH AS FRENCH DRAINS, ARE INSTALLED TO EFFECTIVELY MANAGE SURFACE WATER AND PREVENT IT FROM ACCUMULATING AROUND THE FOUNDATION.

BACKFILLING AND GRADING:

ONCE THE WATERPROOFING AND DRAINAGE SYSTEMS ARE IN PLACE, THE EXCAVATED AREA IS BACKFILLED AND PROPERLY GRADED TO ENSURE PROPER WATER RUNOFF AND TO PREVENT WATER FROM POOLING AROUND THE FOUNDATION.

FINAL INSPECTION:

A FINAL INSPECTION IS CONDUCTED TO ENSURE THAT ALL EXTERIOR WATERPROOFING MEASURES HAVE BEEN PROPERLY IMPLEMENTED. THIS MAY INCLUDE WATER TESTS TO VERIFY THE EFFECTIVENESS OF THE WATERPROOFING SYSTEM.

INTERIOR WATERPROOFING

INTERIOR WATERPROOFING PROCESSES TYPICALLY INVOLVE APPLYING WATERPROOFING MATERIALS TO THE INTERIOR WALLS AND FLOORS OF A BUILDING TO PREVENT WATER INTRUSION AND PROTECT AGAINST MOISTURE DAMAGE.

SOME COMMON INTERIOR WATERPROOFING PROCESSES INCLUDE:

SEALANTS:

USING SEALANTS TO FILL CRACKS AND GAPS IN WALLS AND FLOORS TO PREVENT WATER FROM SEEPING IN.

INTERIOR DRAINAGE SYSTEMS:

INSTALLING INTERIOR DRAINAGE SYSTEMS, SUCH AS FRENCH DRAINS OR SUMP PUMPS, TO REDIRECT WATER AWAY FROM THE FOUNDATION OF THE BUILDING.

WATERPROOF COATINGS:

APPLYING WATERPROOF COATINGS OR MEMBRANES TO INTERIOR WALLS AND FLOORS TO CREATE A BARRIER AGAINST MOISTURE PENETRATION.

EPOXY INJECTIONS:

INJECTING EPOXY RESIN INTO CRACKS IN CONCRETE WALLS OR FLOORS TO SEAL THEM AND PREVENT WATER FROM ENTERING.

INTERIOR VAPOR BARRIERS:

INSTALLING VAPOR BARRIERS TO PREVENT MOISTURE FROM SEEPING THROUGH WALLS AND CAUSING MOLD OR MILDEW GROWTH.

INTERIOR WATERPROOFING PAINTS:

USING WATERPROOF PAINT OR COATINGS ON INTERIOR WALLS AND FLOORS TO PROVIDE AN ADDITIONAL LAYER OF PROTECTION AGAINST WATER DAMAGE.

IT'S IMPORTANT TO CONSULT WITH A PROFESSIONAL WATERPROOFING CONTRACTOR TO ASSESS YOUR SPECIFIC NEEDS AND DETERMINE THE MOST EFFECTIVE INTERIOR WATERPROOFING PROCESSES FOR YOUR BUILDING.

FOUNDATION CRACK REPAIR

REPAIRING FOUNDATION CRACKS IS AN IMPORTANT TASK TO PREVENT WATER INTRUSION, STRUCTURAL DAMAGE, AND OTHER ISSUES IN A BUILDING.

HERE ARE SOME COMMON PROCESSES FOR REPAIRING FOUNDATION CRACKS:

EPOXY INJECTION:

THIS PROCESS INVOLVES INJECTING EPOXY RESIN INTO THE CRACKS IN THE FOUNDATION TO FILL AND SEAL THEM. EPOXY INJECTION IS A POPULAR METHOD FOR FIXING BOTH STRUCTURAL AND NON-STRUCTURAL CRACKS IN CONCRETE FOUNDATIONS.

POLYURETHANE FOAM INJECTION:

POLYURETHANE FOAM INJECTION IS ANOTHER METHOD USED TO FILL CRACKS IN THE FOUNDATION. THE EXPANDING FOAM HELPS TO SEAL THE CRACK AND PREVENT WATER INTRUSION.

CARBON FIBER STRIPS:

FOR STRUCTURAL CRACKS IN CONCRETE FOUNDATIONS, CARBON FIBER STRIPS CAN BE USED TO REINFORCE AND STABILIZE THE FOUNDATION WALLS. THE STRIPS ARE APPLIED TO THE CRACKED AREAS TO PROVIDE ADDED STRENGTH.

FOUNDATION UNDERPINNING:

IN CASES WHERE THE FOUNDATION CRACKS ARE CAUSED BY SETTLING OR SINKING OF THE FOUNDATION, UNDERPINNING MAY BE NECESSARY. THIS PROCESS INVOLVES EXCAVATING AROUND THE FOUNDATION AND ADDING ADDITIONAL SUPPORT TO STABILIZE THE STRUCTURE.

WATERPROOFING:

IN ADDITION TO REPAIRING THE CRACKS, IT IS IMPORTANT TO WATERPROOF THE FOUNDATION TO PREVENT FUTURE WATER DAMAGE. THIS CAN INCLUDE APPLYING WATERPROOF COATINGS, INSTALLING DRAINAGE SYSTEMS, AND ENSURING PROPER GRADING AROUND THE BUILDING.

CONSULTING A PROFESSIONAL:

FOUNDATION CRACK REPAIR CAN BE COMPLEX AND MAY REQUIRE THE EXPERTISE OF A PROFESSIONAL CONTRACTOR. IT IS IMPORTANT TO HAVE THE FOUNDATION PROPERLY ASSESSED TO DETERMINE THE UNDERLYING CAUSE OF THE CRACKS AND TO SELECT THE MOST APPROPRIATE REPAIR METHOD.

IT IS RECOMMENDED TO CONSULT WITH A QUALIFIED FOUNDATION REPAIR CONTRACTOR TO ASSESS THE EXTENT OF THE DAMAGE AND DETERMINE THE BEST APPROACH FOR REPAIRING THE FOUNDATION CRACKS IN YOUR BUILDING.

BUILDING PAINTING

PAINTING A BUILDING CAN ENHANCE ITS APPEARANCE, PROTECT THE EXTERIOR SURFACES, AND INCREASE ITS LIFESPAN.

HERE ARE SOME COMMON PROCESSES INVOLVED IN BUILDING PAINTING:

SURFACE PREPARATION:

CLEANING: THE SURFACE SHOULD BE CLEANED THOROUGHLY TO REMOVE DIRT, DUST, AND DEBRIS. PRESSURE WASHING OR SCRUBBING MAY BE NEEDED.

REPAIR: DAMAGED AREAS SHOULD BE REPAIRED, SUCH AS FILLING CRACKS, HOLES, AND GAPS WITH APPROPRIATE MATERIALS.

PRIMING: APPLYING A PRIMER HELPS THE PAINT ADHERE BETTER AND PROVIDES A UNIFORM BASE FOR THE PAINT COLOR.

CHOOSING THE PAINT:

SELECTING THE APPROPRIATE PAINT TYPE FOR THE SURFACE, SUCH AS EXTERIOR LATEX, OIL-BASED, OR SPECIALTY PAINTS. CONSIDER FACTORS LIKE DURABILITY, WEATHER RESISTANCE, AND COLORFASTNESS.

APPLICATION:

BRUSH, ROLLER, OR SPRAYER: PAINT CAN BE APPLIED USING BRUSHES, ROLLERS, OR SPRAYERS, DEPENDING ON THE SURFACE AND DESIRED FINISH.

TECHNIQUE: APPLYING PAINT EVENLY WITH THE PROPER TECHNIQUE TO AVOID DRIPS, STREAKS, OR BRUSH MARKS.

MULTIPLE COATS: APPLYING MULTIPLE COATS OF PAINT FOR BETTER COVERAGE AND COLOR VIBRANCY.

FINISHING:

ALLOWING THE PAINT TO DRY COMPLETELY BETWEEN COATS AND BEFORE ANY TOUCH-UPS.

INSPECTING THE COMPLETED WORK FOR ANY MISSED SPOTS OR IMPERFECTIONS.

CLEANING UP TOOLS AND MATERIALS PROPERLY AFTER PAINTING IS FINISHED.

SAFETY PRECAUTIONS:

USING APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT (PPE) SUCH AS GLOVES, GOGGLES, AND MASKS.

ENSURING PROPER VENTILATION WHEN USING PAINTS AND SOLVENTS.


FOLLOWING MANUFACTURER INSTRUCTIONS FOR SAFE HANDLING AND DISPOSAL OF PAINT MATERIALS.

MAINTENANCE:

REGULAR MAINTENANCE, SUCH AS CLEANING THE PAINTED SURFACES, CAN HELP PROLONG THE LIFE OF THE PAINT JOB.

ADDRESSING ANY ISSUES OR DAMAGE PROMPTLY TO PREVENT FURTHER DETERIORATION.

OUR ACCOMPLISHMENT



OUR PARTNER

R MALL

D MART

INFINITI MALL

**R CITY MALL
GHATKOPAR**

**L & T TURBHE
PLANT**

**RAMDEV
STUDIO**

**AMRUT
INDUSTRY**

**SUPERMAX
COMPANY**



GET IN TOUCH

 **+91 99875 06070**

 **WWW.MAHADEVWATERPROOFING.IN**

 **MAHADEVWATERPROOFING@GMAIL.COM**

